Gen. (Chem. Lib.)
Waks

CONTENTS

Sweet Clover in Relation to the Accumulation, Loss and Conservation of Nitrates in Soil. A. L. WHITING AND T. E. RICHMOND 1
Influence of Form, Soil-Zone and Fineness of Lime and Magnesia Incorporations upon Outgo of Sulfates and Nitrates. W. H. MACINTIRE 21
Some Soil and Plant Relationships. M. M. MCCOOL AND J. D. ROMAINE 31
Some Effects of Mulching Paper on Hawaiian Soils. G. R. STEWART, E. C. THOMAS, AND JOHN HORNER 35
Residual Effects of Forty Years Continuous Manurial Treatment: III. Ultimate Fate and Some Physical and Chemical Effects of Applied Lime. J. W. WHITE AND F. J. HOLBEN 61
Concentration of Carbonates in Two Minnesota Soil Types. PAUL R. MCMILLER 75
The Composition of Biennial White Sweet Clover as Related to Soil Enrichment. A. L. WHITING AND T. E. RICHMOND 83
A Study of Physiological Balance for Alfalfa in Solution Cultures. S. LOMANITZ 97
Fixation of Calcium-Magnesium from Burnt Limes, Limestone and Dolomite Incorporations in Two Soil Zones. W. H. MACINTIRE AND W. M. SHAW 109
The Origin and Nature of the Soil Organic Matter or Soil "Humus": I. Introductory and Historical. SELMAN A. WAKSMAN 123
The Absorption of Iron by Soils. H. C. DOYNE AND C. G. T. MORISON 163
The Influence of Calcium and Nitrogen on the Protein Content of the Soybean Plant. JOSEPH M. GINSBURG AND JOHN W. SHIVE 175
Some Observations Upon the Effect of the Size of the Container Upon the Capillary Rise of Water Through Soil Columns. H. A. WADSWORTH AND ALFRED SMITH 199
Review of German Literature on Soil Science and Plant Physiology in 1925 213
On the Origin and Nature of Soil Organic Matter or Soil "Humus": II. Method of Determining Humus in the Soil. SELMAN A. WAKSMAN 221
The Relation of Light to Soil Moisture Phenomena. LEON B. LINFORD 233
Nitrogen Availability of Green Manures. F. LÖHNIS 253
Why Are Serpentine and Other Magnesian Soils Infertile? A. GORDON AND C. B. LIPMAN 291
The Tolerance of Plants for NaCl. C. B. LIPMAN, A. R. DAVIS, AND E. S. WEST 303
The Origin and Nature of the Soil Organic Matter or Soil "Humus": III. The Nature of the Substances Contributing to the Formation of Humus. SELMAN A. WAKSMAN. 323
Influence of Sulfur and Gypsum on the Solubility of Potassium in Soils and on the Quantity of this Element Removed by Certain Plants. O. M. SHEDD 335
Effect of Growing Legumes upon Succeeding Crops. F. LÖHNIS 355
Book Review 391
On the Origin and Nature of the Soil Organic Matter of Soil "Humus": IV. The Decomposition of the Various Ingredients of Straw and of Alfalfa Meal by Mixed and Pure Cultures of Microörganisms. SELMAN A. WAKSMAN AND FLORENCE G. TENNEY. 395
Microbiological Analysis of Soils as an Index of Soil Fertility: X. The Catalytic Power of the Soil. SELMAN A. WAKSMAN AND RENÉ J. DUBOS 407
On the Origin and Nature of the Soil Organic Matter or Soil "Humus": V. The Rôle of Microörganisms in the Formation of "Humus" in the Soil. SELMAN A. WAKSMAN 421

M.F.M.

The Relation of Manganese and Iron to a Lime Induced Chlorosis. BASIL E. GILBERT, FORMAN T. MCLEAN AND LEO J. HARDIN 437
A Contribution to the Study of Interrelations Between the Temperature of the Soil and of the Atmosphere and a New Type of Thermometer for Such Study. ALFRED SMITH 447
Synthetic Calcium Silicates as a Source of Agricultural Lime: III. A Comparison of the Influence of Synthetic Calcium Silicates with Other Forms of Lime on the Soil Reaction. R. MARLIN BARNETTE 459
A Study of the Root-Nodule Bacteria of Wood's Clover (*Dalea Alopecuroides*). A. L. WHITING, E. B. FRED, AND G. E. HELZ 467
The Assimilation of Phosphorus from Phytin by Oats. A. L. WHITING AND A. F. HECK. 477

ILLUSTRATIONS

PLATES

SOME EFFECTS OF MULCHING PAPER ON HAWAIIAN SOILS

Plate 1. Fig. 1. Method of laying the paper mulch 59
2. Newly planted field of pineapples, Experiment Station of Hawaiian Pineapple Canners' Association 59

A STUDY OF PHYSIOLOGICAL BALANCE FOR ALFALFA IN SOLUTION CULTURES

Plate 1. Alfalfa Five Weeks Old, Grown in Solution Cultures 107

THE INFLUENCE OF CALCIUM AND NITROGEN ON THE PROTEIN CONTENT OF THE SOYBEAN PLANT

Plate 1. Group I. Plants from Series B Grown in Culture Solutions (1, 2, 3, 4, 5) Containing Varying Concentrations of Calcium Nitrate 193
Plate 2. Group II. Plants from Series B Grown in Culture Solutions (6, 7, 8) Containing Varying Concentrations of Calcium Chloride 195
Plate 3. Group IV. Plants Grown in Limed (Tank 15) and Unlimed (Tank 13) Soils. 197

SOME OBSERVATIONS UPON THE EFFECT OF THE SIZE OF THE CONTAINER UPON THE CAPILLARY RISE OF WATER THROUGH SOIL COLUMNS

Plate 1. Fig. 1. Detail of Procedure used in filling capillary rise columns 211
2. Section of capillary column assembly used to demonstrate the effect of the size of the container upon capillary rise from a free water table. The photograph shows the extent of rise after 16 days 211

A CONTRIBUTION TO THE STUDY OF INTERRELATIONS BETWEEN THE TEMPERATURE OF THE SOIL AND OF THE ATMOSPHERE AND A NEW TYPE OF THERMOMETER FOR SUCH STUDY

Plate 1. Soil Temperature Plots at Davis, California 457

A STUDY OF THE ROOT-NODULE BACTERIA OF WOOD'S CLOVER (DALEA ALOPECUROIDES)

Plate 1. Applied Inoculation Compared with Natural Inoculation 473
Plate 2. Fig. 1. Wood's Clover Roots and Nodules 475
2. Wood's Clover Root-Nodule Bacteria Showing Flagella Stained by the Plimmer and Paine Method 475

THE ASSIMILATION OF PHOSPHORUS FROM PHYTIN BY OATS

Plate 1. Relative Growth of Oats with Rock Phosphate and Crude Phytin 487
Plate 2. Oat Series with Rock Phosphate and Rock Phosphate plus Phytin 489
Plate 3. Oat Series with Crude Phytin and Crude Phytin plus Rock Phosphate 491
Plate 4. Oat Series with Various Sources of Phosphorus 493

TEXT FIGURES

SOME EFFECTS OF MULCHING PAPER ON HAWAAIIN SOILS

Fig. 1. Double-Row Scheme for Planting Pineapples 36
2. Moisture Content of Paper-Mulched and Bare Soil Plots During the First 7 Months' Growth 54

3. Ammonia Nitrogen Content of Paper-Mulched and Bare Soil Plots During the First 7 Months' Growth 55
4. Nitrate Nitrogen Content of Paper-Mulched and Bare Soil Plots During the First 7 Months' Growth 56

CONCENTRATION OF CARBONATES IN TWO MINNESOTA SOIL TYPES

Fig. 1. Distribution of Carbonate in Barnes Silty Clay Loam 79
2. Distribution of Carbonate in Unnamed Silt Loam 79

A STUDY OF PHYSIOLOGICAL BALANCE FOR ALFALFA IN SOLUTION CULTURES

Fig. 1. Diagram Showing Solution Numbers and Volume-Molecular Proportions of the Three Salts 98
2. Diagram Showing Position of Cultures Producing the Highest Seven Yields of Tops 101
3. Diagram Showing Position of Cultures Producing the Highest Seven Yields of Roots 102
4. Diagram Showing Position of Cultures Producing the Highest Seven Yields of Whole Plants 103
5. Graphic Summary of Data Determined 104

FIXATION OF CALCIUM-MAGNESIUM FROM BURNT LIMES, LIMESTONE AND DOLOMITE INCORPORATIONS IN TWO SOIL ZONES

Fig. 1. The Fate of Surface-zone Incorporations of $Ca(OH)_2$, CaO-MgO, and Limestone and Dolomite Separates in a Loam Soil, at a Constant $CaCO_3$-Equivalence of 3570 Pounds (2000 Pounds CaO) per 2,000,000 Pounds of Soil, as Accounted for by Fixation, Leaching and Carbonate Residues after 4 Years' Exposure 113
2. The Fate of Subsurface-Zone Incorporations of $Ca(OH)_2$, CaO-MgO, and Limestone and Dolomite Separates in a Loam Soil, at a Constant $CaCO_3$—Equivalence of 3570 Pounds (2000 Pounds CaO) per 2,000,000 Pounds of Soil as Accounted for by Fixation, Leaching, and Carbonate Residues after 4 Years' Exposure 114
3. Influence of Zone of Incorporation upon the Fixation of Calcium-Magnesium from $Ca(OH)_2$, CaO-MgO, and Limestone and Dolomite Separates in a Loam Soil, at a Constant $CaCO_3$—Equivalence of 3570 Pounds (2000 Pounds CaO) per 2,000,000 Pounds of Soil after 4 Years' Exposure—Terms of $CaCO_3$ per 2,000,000 Pounds of Soil, Moisture-free Basis 116

THE ABSORPTION OF IRON BY SOILS

Fig. 1. Behaviour of Clays and Soils with High Iron Content 170
2. Behaviour of Sandy Soils and Sands 172

THE RELATION OF LIGHT TO SOIL MOISTURE PHENOMENA

Fig. 1. Diagram of Apparatus 235
2 and 3. Moisture Time Curves of the Soils in Saturated Atmosphere 236
4. Moisture Time Curves of the Soils in Saturated Atmospheres 237
5. Section Through the Centers of Two Spheres Showing Water Wedge with Circular Surface Section 242
6. Diagram Showing the Relationships Between the Various Potentials in an Equilibrium System 247

NITROGEN AVAILABILITY OF GREEN MANURES

Fig. 1. Fluctuations of Fresh Weights (Buckwheat) Harvested in 2 to 8 Rows of 37 Pots Each, Placed Lengthwise in the House 264
2. Average Nitrogen Returns (per cent) in 10 Crops on Poor Soil and in 7 Crops on Rich Soil 283

THE TOLERANCE OF PLANTS FOR NaCl

Fig. 1. The Effect of Various Concentrations of NaCl on the Growth of Barley 315
2. The Effect of Various Concentrations of NaCl on the Growth of Garden Peas. 319
3. A Comparison of the Effect of Various Concentrations of NaCl on the Growth of Wheat, Barley and Peas 320

EFFECT OF GROWING LEGUMES UPON SUCCEEDING CROPS

Fig. 1. Total Bacterial Counts Under and After Different Crops Grown in Pot Experiments 382

ON THE ORIGIN AND NATURE SOIL OF THE ORGANIC MATTER OR SOIL "HUMUS": IV. THE DECOMPOSITION OF THE VARIOUS INGREDIENTS OF STRAW AND OF ALFALFA MEAL BY MIXED AND PURE CULTURES OF MICROÖRGANISMS

Fig. 1. Course of Decomposition of Cereal Straw and Its Various Fractions 399
2. Course of Decomposition of Alfalfa Meal and Its Various Fractions 400

A CONTRIBUTION TO THE STUDY OF INTERRELATIONS BETWEEN THE TEMPERATURE OF THE SOIL AND OF THE ATMOSPHERE AND A NEW TYPE OF THERMOMETER FOR SUCH STUDY

Fig. 1. Copper Bulb Thermometer 452
2. Temperatures at Station 1, June 11, 1924 453

SYNTHETIC CALCIUM SILICATES AS A SOURCE OF AGRICULTURAL LIME: III. A COMPARISON OF THE INFLUENCE OF SYNTHETIC CALCIUM SILICATES WITH OTHER FORMS OF LIME ON THE SOIL REACTION

Fig. 1. Change in Hydrogen-Ion Concentration of Soil Suspensions of Limed and Unlimed Soils with Time 461
2. Relationship Between Increasing Application of Lime as "Limosil" and Hydrogen-Ion Concentration of Soil Suspensions 463
3. Change of Hydrogen-Ion Concentration of Soil Suspensions Treated with Various Liming Materials on a Similar CaO Basis 463

THE ASSIMILATION OF PHOSPHORUS FROM PHYTIN BY OATS

Fig. 1. Comparative Percentages of Phosphorus in Oat Straw and Grain 482